



ENRICHING
Architecture



FINISHES



Metallic finish



Rustic finish



Full polished finish



High glossy finish



Glossy finish



Matt finish



Full body (s&p)

Opulent
LIVING WITH ARCHITECTURE

FEATURES



High Durable



Acid Resistance



Stain Resistance



Easy to Clean



Maintenance Free



Dimensional Stability



Slip Resistance



Eco Friendly



GEOMETRIES OF THE SPACES WHERE TO LIVE,
FULFILL YOUR AMBITIONS WITH US.

WE CREATE

Colossal

PRODUCT RANGE

**1200
X
2400
MM**

M I G H T Y S I Z E

A floor made of large tiles makes any room up-to-date. The minimum width grout joints are used beautifully that makes your surface consistent with the rectified edges & sure gives utter elegance.

1200x
2400mm

HIGH GLOSSY FINISH 9mm thickness




Versatile solutions Easier to lay Resistant to chemical Resistant to loads Resistant to stains Wide range



ATLANTIC WHITE 2 RANDOM

ATLANTIC WHITE (CONTINUE) 2 FACE CONTINUE



PACIFIC WHITE 4 FACE CONTINUE

SCARLET WHITE 4 FACE CONTINUE





WALL : ATLANTIC WHITE | FLOOR : ATLANTIC WHITE

1200x
2400mm

HIGH GLOSSY FINISH

9mm thickness



Versatile solutions



Easier to lay



Resistant to chemical



Resistant to loads



Resistant to stains



Wide range




GRONZA WHITE BOOK MATCH A+B




EMBER WHITE 3 FACE CONTINUE



BETEL WHITE 2 RANDOM



VIBRANIUM BOOK MATCH A+B



1200x
2400mm

HIGH GLOSSY FINISH

9mm thickness



Versatile solutions



Easier to lay



Resistant to chemical



Resistant to loads



Resistant to stains



Wide range




ALTIMO WHITE (BOOK MATCH)

BOOK MATCH A+B



HOIST WHITE

3 FACE CONTINUE





GLORIOUS WHITE (CONTINUE)

3 FACE CONTINUE



GLORIOUS WHITE (BOOK MATCH)


BOOK MATCH A+B



1200x
2400mm

HIGH GLOSSY FINISH

9mm thickness



STATUARIO RIO 3 RANDOM

STATUARIO BELGIA (CONTINUE) 3 FACE CONTINUE






TABLE TOP : STATUARIO BELGIA

1200x
2400mm

HIGH GLOSSY FINISH

9mm thickness



Versatile solutions



Easier to lay



Resistant to chemical



Resistant to loads



Resistant to stains



Wide range



STATUARIO AFYON

3 FACE CONTINUE



STATUARIO GOLD

3 RANDOM




SUMMER WHITE

BOOK MATCH A+B



SUMMER WHITE

4 RANDOM



1200x
2400mm

HIGH GLOSSY FINISH

9mm thickness



Versatile solutions



Easier to lay



Resistant to chemical



Resistant to loads



Resistant to stains



Wide range




STATUARIO NATURAL

3 RANDOM




ALEX CALACATTA

3 RANDOM




GALAXY STATUARIO (BOOK MATCH)

BOOK MATCH A+B



IMPACT SATUARIO (CONTINUE)

3 FACE CONTINUE



*Dark High Glossy Series

1200x
2400mm

HIGH GLOSSY FINISH

DECOR SERIES


9mm thickness



Versatile solutions
Easier to lay
Resistant to chemical
Resistant to loads
Resistant to stains
Wide range



M 1001 1 RANDOM



M 1002 1 RANDOM



M 1003 1 RANDOM



M 1004 1 RANDOM



1200x
2400mm

HIGH GLOSSY FINISH

9mm thickness



Versatile solutions



Easier to lay



Resistant to chemical



Resistant to loads



Resistant to stains




Wide range



ZED ONYX ICE 4 RANDOM




ZED ONYX CLASSIC 4 RANDOM



ONYX LUXURY 3 RANDOM



WILLIAM BIANCO 2 RANDOM



1200x
2400mm

HIGH GLOSSY FINISH

9mm thickness



Versatile solutions



Easier to lay



Resistant to chemical



Resistant to loads



Resistant to stains



Wide range



REGAL NATURAL 3 RANDOM



REGAL BEIGE 3 RANDOM



ELIZA BEIGE 3 RANDOM



VICTORIA BEIGE 4 RANDOM



1200x
2400mm

HIGH GLOSSY FINISH

9mm thickness



Versatile solutions



Easier to lay



Resistant to chemical



Resistant to loads



Resistant to stains



Wide range



LAVANET BEIGE 3 RANDOM



BERLIM BEIGE 2 RANDOM



DEVCI CREMA 2 RANDOM



DEVCI GREY 2 RANDOM



*Dark High Glossy Series

1200x
2400mm

HIGH GLOSSY FINISH  9mm thickness



TRAVENTINO CREMA 2 RANDOM

DYNA SUPREME 2 RANDOM



FLOOR : DYNA SUPREME

1200x
2400mm

HIGH GLOSSY FINISH  9mm thickness



BRECCIA BEIGE 3 RANDOM

BRECCIA LAVA 2 RANDOM



FLOOR : BRECCIA BEIGE

1200x
2400mm

HIGH GLOSSY FINISH 9mm thickness



Versatile solutions Easier to lay Resistant to chemical Resistant to loads Resistant to stains Wide range

*



*



BRECCIA CAPRAIA 4 RANDOM

BRECCIA CAPRAIA (BOOK MATCH) BOOK MATCH A+B




*Dark High Glossy Series

*



BROCKEN BRECCIA (BOOK MATCH) BOOK MATCH A+B

BRECCIA MONET BOOK MATCH A+B



*Dark High Glossy Series

1200x
2400mm

HIGH GLOSSY FINISH 9mm thickness



Versatile solutions Easier to lay Resistant to chemical Resistant to loads Resistant to stains Wide range

*



SONATA WHITE 3 RANDOM

SONATA BRONZE 3 RANDOM



*



TITANIUM BROWN 3 RANDOM

TITANIUM NATURAL 3 RANDOM



*Dark High Glossy Series

*Dark High Glossy Series

1200x
2400mm

HIGH GLOSSY FINISH 9mm thickness



Versatile solutions Easier to lay Resistant to chemical Resistant to loads Resistant to stains Wide range

*



*



CHIFFON BEIGE BOOK MATCH A+B

LEVANTO BROWN 4 RANDOM



*



LEVANTO LIGHT 4 RANDOM

LEVANTO NATURAL 4 RANDOM



*Dark High Glossy Series

*Dark High Glossy Series

1200x
2400mm

HIGH GLOSSY FINISH

9mm thickness



Versatile solutions



Easier to lay



Resistant to chemical



Resistant to loads



Resistant to stains



Wide range


*



ARMANI BEIGE 2 RANDOM




ARMANI GOLD 2 RANDOM




*



ARMANI GREY 2 RANDOM



ARMANI GRISS 2 RANDOM



*Dark High Glossy Series

*Dark High Glossy Series



WALL : ARMANI BEIGE & ARMANI GOLD | FLOOR : ARMANI BEIGE

1200x
2400mm

HIGH GLOSSY FINISH 9mm thickness




Versatile solutions
Easier to lay
Resistant to chemical
Resistant to loads
Resistant to stains
Wide range

*




*



FOREST BROWN 2 RANDOM

TOPAZ BROWN 1 RANDOM



*Dark High Glossy Series

*




*



ARENA DUNE 2 RANDOM

ARENA DUNE (BOOK MATCH) BOOK MATCH A+B



*Dark High Glossy Series

1200x
2400mm

HIGH GLOSSY FINISH

9mm thickness



Versatile solutions



Easier to lay



Resistant to chemical



Resistant to loads



Resistant to stains




Wide range




BIANCO LASA

2 RANDOM



WHITE PASANTO

3 FACE CONTINUE



PATAGONIA

3 RANDOM



EXOTIC WHITE

2 RANDOM



1200x
2400mm

HIGH GLOSSY FINISH 9mm thickness




Versatile solutions Easier to lay Resistant to chemical Resistant to loads Resistant to stains Wide range

*




COVELANO LASA 2 RANDOM



*



COVELANO LASA (BOOK MATCH) BOOK MATCH A+B



ARISTONE CERUBE 2 FACE CONTINUE



BETHANY BLUE BOOK MATCH A+B



*Dark High Glossy Series

1200x
2400mm

HIGH GLOSSY FINISH

9mm thickness



Versatile solutions



Easier to lay



Resistant to chemical



Resistant to loads



Resistant to stains



Wide range

*



TURKE LANA 1 RANDOM

CRISTAN STONE 2 RANDOM



*Dark High Glossy Series

*



*



ICE BERG BLUE 3 RANDOM

ALONZO BLUE 4 FACE CONTINUE



*Dark High Glossy Series

1200x
2400mm

HIGH GLOSSY FINISH 9mm thickness



Versatile solutions Easier to lay Resistant to chemical Resistant to loads Resistant to stains Wide range

*



TRAVENTINO BEIGE 1 RANDOM

SEMOND PAUL 2 RANDOM



*




*



TRIESTA NOIR 3 RANDOM

RAINBOW BROWN 2 RANDOM



*Dark High Glossy Series

*Dark High Glossy Series

1200x
2400mm

HIGH GLOSSY FINISH 9mm thickness



Versatile solutions Easier to lay Resistant to chemical Resistant to loads Resistant to stains Wide range

*




*



*



*





BLACK RIVER 4 RANDOM

ELITE BLACK BOOK MATCH A+B

NERO MARQUINA 3 RANDOM

SAHARA BLACK 2 RANDOM



*Dark High Glossy Series

*Dark High Glossy Series


1200x
2400mm

HIGH GLOSSY FINISH 9mm thickness



Versatile solutions
Easier to lay
Resistant to chemical
Resistant to loads
Resistant to stains
Wide range

*



*



*



*





PORTORO GOLD 2 RANDOM

PORTORO 2 RANDOM

FUSION BLACK (BOOK MATCH) BOOK MATCH A+B

AZUL CIELO 3 RANDOM



*Dark High Glossy Series

*Dark High Glossy Series

1200x
2400mm

RUSTIC MATT FINISH

9mm thickness



Versatile solutions



Easier to lay



Resistant to chemical



Resistant to loads



Resistant to stains



Wide range



SUMMER WHITE

4 RANDOM




REGAL NATURAL

3 RANDOM



ELIZA BEIGE

3 RANDOM



LAVANET BEIGE

3 RANDOM



1200x
2400mm

RUSTIC MATT FINISH

9mm thickness



Versatile solutions
Easier to lay
Resistant to chemical
Resistant to loads
Resistant to stains
Wide range



ORION CREMA 4 RANDOM



ORION WHITE 4 RANDOM



RIZ CEDAR 2 RANDOM



RIZ SILVER 2 RANDOM



1200x
2400mm

RUSTIC MATT FINISH

9mm thickness



Versatile solutions
Easier to lay
Resistant to chemical
Resistant to loads
Resistant to stains
Wide range




MANDANA CREAM 1 RANDOM

MANDANA BROWN 1 RANDOM



CAPRON CREMA 3 RANDOM

CAPRON GREY 3 RANDOM



1200x
2400mm

RUSTIC MATT FINISH 9mm thickness

- Versatile solutions
- Easier to lay
- Resistant to chemical
- Resistant to loads
- Resistant to stains
- Wide range



VICTORIA BEIGE 4 RANDOM

MEXXO LIGHT 4 RANDOM

MEXXO SIENNA 4 RANDOM

MEXXO OLIVE 4 RANDOM



1200x
2400mm

RUSTIC MATT FINISH

9mm thickness




ELEGANT CREMA

1 RANDOM

SANDUNE CAFE

1 RANDOM



FLOOR : SANDUNE CAFE

1200x
2400mm

RUSTIC MATT FINISH

9mm thickness



Versatile solutions
Easier to lay
Resistant to chemical
Resistant to loads
Resistant to stains
Wide range



SENTILIA BROWN 1 RANDOM



DUST 4 RANDOM



TUNA ROCK ICE 2 RANDOM



TUNA ROCK GREY 2 RANDOM



1200x
2400mm

RUSTIC MATT FINISH

9mm thickness



Versatile solutions
Easier to lay
Resistant to chemical
Resistant to loads
Resistant to stains
Wide range




MILANO SILVER 3 RANDOM

MILANO GREY 3 RANDOM

CORTEX CEDAR 2 RANDOM

CORTEX AZURE 2 RANDOM



1200x
2400mm

CARVING FINISH → 9mm thickness



- Versatile solutions
- Easier to lay
- Resistant to chemical
- Resistant to loads
- Resistant to stains
- Wide range



BURBERRY BEIGE 2 RANDOM

BURBERRY BROWN 2 RANDOM

BURBERRY GREY 2 RANDOM



1200x
2400mm

CARVING FINISH → 9mm thickness



STUCCO BEIGE 2 RANDOM

CORTEN BEIGE 2 RANDOM



FLOOR : STUCCO BEIGE

1200x
2400mm


CARVING FINISH → 9mm thickness

- Versatile solutions
- Easier to lay
- Resistant to chemical
- Resistant to loads
- Resistant to stains
- Wide range



RUBY QUARTZ SEAL 4 RANDOM

RUBY QUARTZ ASH 4 RANDOM



LURENT BROWN 5 RANDOM

LURENT BLUE 5 RANDOM



1200x
2400mm


RICH SILK FINISH

9mm thickness



PERSIAN BEIGE 2 RANDOM

FLORENTINE CREMA 2 RANDOM



WALL : PERSIAN BEIGE | FLOOR : SANDUNE CAFE

1200x
2400mm

RICH SILK FINISH → 9mm thickness

-  Versatile solutions
-  Easier to lay
-  Resistant to chemical
-  Resistant to loads
-  Resistant to stains
-  Wide range



BRECCIA MARINO LATTE 2 RANDOM

BRECCIA MARINO NATURAL 2 RANDOM

BRECCIA MARINO ASH 2 RANDOM





GEOMETRIES OF THE SPACES WHERE TO LIVE,
FULFILL YOUR AMBITIONS WITH US.

WE CREATE

Alluring

PRODUCT RANGE

800
X
1600
MM

MIGHTY SIZE

These are the most conventional tile as it is easy to lay, and extremely versatile; which is suitable for rooms of any size with many different technical and aesthetic requirements.

800x
1600mm

HIGH GLOSSY FINISH

9mm thickness



Versatile solutions



Easier to lay



Resistant to chemical




Resistant to loads



Resistant to stains




Wide range




ARCTIC WHITE

3 RANDOM



ATLANTIC WHITE

3 RANDOM





BIANCO DOLIMITI

3 RANDOM




HELIX WHITE

2 RANDOM



MARBELLA WHITE

3 RANDOM



RIGATO WHITE

3 RANDOM

800x
1600mm

HIGH GLOSSY FINISH

9mm thickness



Versatile solutions



Easier to lay



Resistant to chemical




Resistant to loads



Resistant to stains



Wide range



SATATURIO PEARL

6 RANDOM



STATUARIO NATURAL

3 RANDOM



STATUARIO RIO

3 RANDOM



ROMANTIC SATVARIYO

2 RANDOM



CALACATTA ITALIAI

BOOK MATCH A+B



ALEX CALACATTA


3 RANDOM



800x
1600mm

HIGH GLOSSY FINISH

9mm thickness



BETEL WHITE

4 RANDOM



GOLD AGATE ONYX

3 RANDOM



BLUE AGATE ONYX

3 RANDOM



Versatile solutions



Easier to lay



Resistant to chemical



Resistant to loads



Resistant to stains




Wide range



BIANCO LASA

3 RANDOM



REGAL NATURAL

3 RANDOM



BERLÍM BEIGE

4 RANDOM

800x
1600mm

HIGH GLOSSY FINISH

9mm thickness



Versatile solutions
Easier to lay
Resistant to chemical
Resistant to loads
Resistant to stains
Wide range




ARISTONE CEROBÉ

4 RANDOM



EXOTIC WHITE


4 RANDOM



SUMMER WHITE

4 RANDOM

*



ALASKA WHITE

3 RANDOM



BETHANY BLUE

4 RANDOM

*



IMPACT SATVARIO

4 RANDOM

*Dark High Glossy Series

800x
1600mm


HIGH GLOSSY FINISH

9mm thickness



ALDO BEIGE

3 RANDOM



BOTTICINO CLASSIC

3 RANDOM




CREMA MARFIL

2 RANDOM





Versatile solutions
Easier to lay
Resistant to chemical
Resistant to loads
Resistant to stains
Wide range



DOLCE BROWN

3 RANDOM



PIETRA LATTE

3 RANDOM



PIETRA SEPIA

3 RANDOM



WALL : ALDO BEIGE & NOCE MARRONE | FLOOR : ALDO BEIGE

800x
1600mm

HIGH GLOSSY FINISH

9mm thickness



Versatile solutions
Easier to lay
Resistant to chemical
Resistant to loads
Resistant to stains
Wide range



FUME EMPERADOR LATTE

3 RANDOM



FUME EMPERADOR PEANUT

3 RANDOM



DYNA CANARY

2 RANDOM



BRECCIA AURORA BIANCO

3 RANDOM



DYNA STREAK

2 RANDOM



BRECCIA AURORA BEIGE

3 RANDOM

800x
1600mm

HIGH GLOSSY FINISH

9mm thickness



BRECCIA MAX

2 RANDOM



BRECCIA BEIGE

3 RANDOM



BRECCIA GREY

3 RANDOM



Versatile solutions, Easier to lay, Resistant to chemical, Resistant to loads, Resistant to stains, Wide range



BRECCIA LAVA

3 RANDOM



BRECCIA CAPRAIA BEIGE

4 RANDOM

*



BRECCIA CAPRAIA

4 RANDOM

*Dark High Glossy Series

*Dark High Glossy Series

800x
1600mm

HIGH GLOSSY FINISH

9mm thickness



Versatile solutions
Easier to lay
Resistant to chemical
Resistant to loads
Resistant to stains
Wide range



VICTORIA BEIGE

4 RANDOM



LEVANTO LIGHT

4 RANDOM



DEVCI CREMA

4 RANDOM



LEVANTO BROWN

4 RANDOM



DEVCI GREY

4 RANDOM



LEVANTO NATURAL

4 RANDOM

*Dark High Glossy Series

*Dark High Glossy Series

800x
1600mm

HIGH GLOSSY FINISH


9mm thickness



Versatile solutions
Easier to lay
Resistant to chemical
Resistant to loads
Resistant to stains
Wide range




DOMINO MARFIL 3 RANDOM




ARMANI BEIGE 3 RANDOM

*



ARMANI GOLD 3 RANDOM

*Dark High Glossy Series




WILLIAM BIANCO 2 RANDOM



ARMANI GREY 3 RANDOM

*



ARMANI GRISS 3 RANDOM

*Dark High Glossy Series



800x
1600mm

HIGH GLOSSY FINISH

9mm thickness



Versatile solutions
Easier to lay
Resistant to chemical
Resistant to loads
Resistant to stains
Wide range



PARISO GREY


3 RANDOM



TURKE LANA

3 RANDOM


*



FOREST BROWN

3 RANDOM

*



MADERA FOREST

3 RANDOM

*



TRIESTA NOIR

5 RANDOM

*



MARINA PEDRA

3 RANDOM


*Dark High Glossy Series

*Dark High Glossy Series

800x
1600mm


HIGH GLOSSY FINISH

9mm thickness




COVELANO LASA

3 RANDOM



ROSALIA WHITE

4 RANDOM



ROSALIA BROWN

4 RANDOM

*Dark High Glossy Series



Versatile solutions



Easier to lay



Resistant to chemical



Resistant to loads



Resistant to stains



Wide range




TITANIUM BROWN

3 RANDOM



TITANIUM NATURAL

3 RANDOM



STONIS NATURAL

3 RANDOM

*Dark High Glossy Series

800x
1600mm



HIGH GLOSSY FINISH

9mm thickness



Versatile solutions
Easier to lay
Resistant to chemical
Resistant to loads
Resistant to stains
Wide range

*



NERO MARQUINA

3 RANDOM

*



PORTORO GOLD

3 RANDOM

*



SAHARA BLACK

4 RANDOM


*



ROCKGLOSS COPPER

2 RANDOM

*



THUNDER BLACK

3 RANDOM

*



ROCKGLOSS BLUE

2 RANDOM



FLOOR : PORTORO GOLD

800x
1600mm

RUSTIC MATT FINISH

9mm thickness



ATLANTIC WHITE

3 RANDOM



HELIX WHITE

2 RANDOM




Versatile solutions Easier to lay Resistant to chemical Resistant to loads Resistant to stains Wide range




NORWAY IVORY

5 RANDOM



NORWAY GREY

5 RANDOM



NORWAY SEAL

5 RANDOM



WALL : NORWAY GREY & NORWAY SEAL | FLOOR : NORWAY SEAL

800x
1600mm

CARVING FINISH → 9mm thickness



LEAF BEIGE LT 1 RANDOM



LEAF BEIGE DECOR 1 RANDOM



TERRAZZO 2 RANDOM

- Versatile solutions
- Easier to lay
- Resistant to chemical
- Resistant to loads
- Resistant to stains
- Wide range



BURBERRY BEIGE 3 RANDOM



BURBERRY BROWN 3 RANDOM



BURBERRY GREY 3 RANDOM


800x
1600mm

CARVING FINISH → 9mm thickness



GOLD DUST BROWN

2 RANDOM



STONEAGE COPPER

2 RANDOM



Versatile solutions



Easier to lay



Resistant to chemical



Resistant to loads



Resistant to stains



Wide range



AMMONITE BIANCO

3 RANDOM



AMMONITE NERO

3 RANDOM



800x
1600mm **CARVING FINISH** → 9mm thickness



STUCCO BEIGE

3 RANDOM



OCEAN GOLDEN TRAVERTINE

3 RANDOM



LARCH WOOD BEIGE

4 RANDOM



WALL : STUCCO BEIGE | FLOOR : STUCCO BEIGE



GEOMETRIES OF THE SPACES WHERE TO LIVE,
FULFILL YOUR AMBITIONS WITH US.

WE CREATE

Impressive

PRODUCT RANGE

1200
X
1200
MM

M I G H T Y S I Z E

A perfect size to fix at all the places and fill your space with uneven these enormous regular size tiles are made to get along with uneven and impartial spaces with utter smoothness.

1200x
1200mm

HIGH GLOSSY FINISH

9mm thickness



Versatile solutions



Easier to lay



Resistant to chemical




Resistant to loads




Resistant to stains




Wide range



5001 3 RANDOM



ATLANTIC WHITE 4 RANDOM




GLORIOUS WHITE (BOOK MATCH) BOOK MATCH A+B



GLORIOUS WHITE 3 RANDOM



STATUARIO NATURAL 3 RANDOM



BIANCO DOLIMITI 3 RANDOM



IMPACT SATVARIO 4 RANDOM



COVELANO LASA 3 RANDOM



*Dark High Glossy Series

1200x
1200mm

HIGH GLOSSY FINISH

9mm thickness



ONYX SKY

5 RANDOM



ONYX ICE

2 RANDOM



ALDO BEIGE

4 RANDOM



ALDO SPHERE (DECOR SERIES)

1 RANDOM



FLOOR : ONYX ICE

1200x
1200mm

HIGH GLOSSY FINISH

9mm thickness



Versatile solutions



Easier to lay



Resistant to chemical



Resistant to loads



Resistant to stains



Wide range




DYNA SUPREME 3 RANDOM




BRECCIA LAVA 2 RANDOM



ARMANI BEIGE 2 RANDOM




ARMANI GOLD 2 RANDOM




BRECCIA BEIGE 2 RANDOM




BRECCIA MARINO NATURAL 4 RANDOM



ARMANI GREY 2 RANDOM



ARMANI GRISS 2 RANDOM



*Dark High Glossy Series

1200x
1200mm


HIGH GLOSSY FINISH

9mm thickness

*



MARIYAN BROWN (BOOK MATCH) BOOK MATCH A+B



FOREST BROWN 3 RANDOM



*



TITANIUM BROWN 5 RANDOM



TITANIUM NATURAL 5 RANDOM



*Dark High Glossy Series



FLOOR : TITANIUM BROWN

1200x
1200mm

HIGH GLOSSY FINISH

9mm thickness



TURKE LANA

2 RANDOM




*



CRISTAN STONE

2 RANDOM



*



STOINIS NATURAL

3 RANDOM



*Dark High Glossy Series



FLOOR : STOINIS NATURAL

1200x
1200mm

HIGH GLOSSY FINISH

9mm thickness



Versatile solutions



Easier to lay



Resistant to chemical



Resistant to loads



Resistant to stains




Wide range

*



DOCE NATURAL EMPRADOR

4 RANDOM



*



MARINA PEDRA

3 RANDOM



*




SAHARA BLACK

3 RANDOM



*



AZUL CIELO

5 RANDOM



P 3001



P 3003



P 3004




P 3005

*Dark High Glossy Series

1200x
1200mm

RUSTIC MATT FINISH

9mm thickness



BASIL GRAFITO 4 RANDOM



SANDUNE CAFE 3 RANDOM



TUNA ROCK ICE 3 RANDOM



TUNA ROCK GREY 3 RANDOM



FLOOR : BASIL GRAFITO

1200x
1200mm

RUSTIC MATT FINISH

9mm thickness



SENTILIA BROWN


2 RANDOM



1200x
1200mm

CARVING FINISH

9mm thickness



TERRAZZO

2 RANDOM



ROCKFORD NATURAL

2 RANDOM



AMMONITE BIANCO

3 RANDOM



AMMONITE NERO

3 RANDOM



1200x
1200mm

RICH SILK FINISH

9mm thickness




BRECCIA MARINO LATTE 4 RANDOM



BRECCIA MARINO NATURAL 4 RANDOM



BRECCIA MARINO ASH 4 RANDOM



WALL : BRECCIA MARINO ASH

TECHNICAL SPECIFICATION OF SLAB VITRIFIED TILE

TEST DESCRIPTION			
CHARACTERISTIC	TEST METHOD	STANDARD VALUE	OUR VALUE
Deviation in Length	Is-13630-1	±0.10%	±0.05%
Deviation in Width	Is-13630-1	±0.10%	±0.05%
Deviation in Thickness	Is-13630-1	±5.0%	±3.00%
Straightness of Sides	Is-13630-1	±0.10%	±0.10%
Rectangularity	Is-13630-1	±0.10%	±0.10%
Surface Flatness	Is-13630-1	±0.50%	±0.2%
Surface Quality	Is-13630-1	Min. 95%	Min. 95%
PHYSICAL PROPERTIES			
CHARACTERISTIC	TEST METHOD	STANDARD VALUE	OUR VALUE
Water Absorption	Is-13630-2	≥0.08% Avg.	0.04% Avg.(±0.02%)
Modulus of Rapture(N/mm2)	Is-13630-6	Avg. 35N/mm2	Avg. 42N/mm2
Breaking Strength(N)	Is-13630-6	<7.5mm-700n ≥7.5mm-1300n	<6mm-1200n ≥6mm-1350n
Moisture Expansion(mm/m)	Is-13630-3	0.02 Max	0.01 Max
Scratch Hardness of Surface	Is-13630-13	8 Min	4-4.5
Resistance of Surface Abrasion(Glazed Tiles)	Is-13630-11	Class I Min.	Class I Min.
Co-Efficient of Linear Thermal Expansion	Is-13630-4	6x10-6 Max	6.5x10-6 Max.
Thermal Shock Resistance	Is-13630-5	10 Cycles Min.	10 Cycles, Pass
Crazing Resistance	Is-13630-9	4 Cycles at 7.5 Bar Min.	5 Cycles at 7.5kg Pressure
Impact Resistance-Coefficient of Restitution	Is-13630-14	0.55 Min.	0.55 Min
Frost Resistance	Is-13630-10	According to Manufacturing Process	No Damage
Bulk Density (g/cc)	Is-13630-2	2.2 Min.	2.3
Penalty (Curvature)	-	±1.0%	±0.6%
CHEMICAL PROPERTIES			
CHARACTERISTIC	TEST METHOD	STANDARD VALUE	OUR VALUE
Resistance of Staining	Is-13630-8	Class I Min.	Class II
Resistance of Household Chemicals	Is-13630-8	Class AA Min.	Class AA
Resistance to Acids & Alkalis	Is-13630-8	According to Manufacturing Process	Resistance
Slip Resistance	150-13006/EN1444 Group BIA	As pr Mfg.	>0.40

PACKING DETAIL


No.	Size	Thickness (approx.)	Pieces/Box	Area/Box	Wt./Box(approx.)
01	1200x2400mm	9.0mm	1 pcs.	2.88 sq. mtr.	60 Kgs.
02	800x1600mm	9.0mm	2 pcs.	2.56 sq. mtr.	54 Kgs.
03	1200x1200mm	9.0mm	2 pcs.	2.88 sq. mtr.	60 Kgs.

SLAB LAYING INSTRUCTIONS

- Plaster the surface of the floor to be tiled smooth and complete the plastering and curing at least two hour prior to tiling.
- Before fixing SLAB, lay them out in desired pattern and make sure that give acceptable blend of colour. Please not that certain amount of shade variation is inherent in the manufacture of a fully vitrified ceramic tile. THE COMPANY WALL BEAR NO LIABILITY AFTER THE TILES ARE FIXED.
- For fixing SLAB, we recommend the use of the tile fixing adhesive for best result. Also follow the tile fixing instructions provided along with adhesives.
- For fixing SLAB on the floor using sand and cement follow the instructions given bellow:
 - Use cement and sand mortar in the ratio of 1:4 add some water to create a consistent paste.
 - Once the mixing has been completed do not add any further water to create a consistent paste.
 - Apply a 20-30mm layer of bedding material over an area of 1 square meter at a time on the surface of the area. Apply a fine slurry to the back of the tile to ensure proper and dull bedding. press gently for even adherence at the back of the tile. DO NOT USE IRON HAMMER OR SOME HEAVY MATERIAL TO PRESS THE TILES.
- For fixing SLAB on dado, we recommend the use of adhesive. Please follow the manufacture's instructions for the same. We do not recommend the use of sand and cement for fixing on dado.
- Mark and layout the tiles from the center of the area to be tile so that cut tiles. If any will be on the outer edges to words the walls.
- The work size which we try to maintain for better technical performance is 1200x2400mm, 800x2400mm,900x1800mm, 800x1600mm, & 1200x1200mm on average. it is advisable to maintain a gap of 1mm to 3mm between every two tile to allow for possible expansion as per BIS/EN tolerance norms. This would give the coverage area as mentioned in the cartoon.
- Complete the tile laying process by pressing the center of the SLAB firmly into place along the walls/floors.
- Allow 3-4 days for bed curing. After this period fill the joints with grouts.
- Fifteen minutes after finishing the grouting process, wipe off excess grout with a damp sponge and polish the tile with a soft and dry cloth for a clean surface. The tile can also be cleaned by mild acid(however hydrofluoric acid and its derivatives should not be used)
- Please note that the company does not accept any liability in case of problems arising out of non-adherence to these fixing instructions.

TILING POSSIBILITIES

800X1600MM



1200X1200MM

